L Number	Hits	Search Text	DB	Time stamp
1	2306	((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:21
2	505	embed$4 with (script or program) with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:23
3	127	(embed$4 with (script or program) with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and (convert$3 or translat$3) near15 (client or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:24
4	0	(embed$4 with (script or program) with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and (convert$3 or translat$3) near15 (client or user) with version	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:25
5	6	(embed$4 with (script or program) with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and (convert$3 or translat$3) near15 (client or user) with (part or portion or component or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:18
6	6	((((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and (embed$4 with (script or program) with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:19
7	0	((embed$4 with (script or program) with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and (convert$3 or translat$3) near15 (client or user) with (part or portion or component or object)) and ((((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and (embed$4 with (script or program) with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:19
-	0	(709/203).ccls. and (select$3 or choos$3 or pick$3 or specify$3 or determin$3) adj5 langauge near10 (web adj page or webpage) and (convert$3 or translat$3) near10 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:51
-	42	(select$3 or choos$3 or pick$3 or specify$3 or determin$3 or provid$3) adj5 language with (web adj page or webpage) and (convert$3 or translat$3) near20 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:51
-	3	(709/203).ccls. and (select$3 or choos$3 or pick$3 or specify$3 or determin$3) adj5 language near10 (web adj page or webpage) and (convert$3 or translat$3) near10 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 14:10
-	2	((709/203).ccls. and (select$3 or choos$3 or pick$3 or specify$3 or determin$3) adj5 language near10 (web adj page or webpage) and (convert$3 or translat$3) near10 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 14:12
-	22	((select$3 or choos$3 or pick$3 or specify$3 or determin$3 or provid$3) adj5 language with (web adj page or webpage) and (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:47

-	0	((((select$3 or choos$3 or pick$3 or specify$3 or determin$3 or provid$3) adj5 language with (web adj page or webpage) and (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and download$3 with script	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:28
-	2	((((select$3 or choos$3 or pick$3 or specify$3 or determin$3 or provid$3) adj5 language with (web adj page or webpage) and (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and download$3 with (program or applet or java)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:35
-	0	((((select$3 or choos$3 or pick$3 or specify$3 or determin$3 or provid$3) adj5 language with (web adj page or webpage) and (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and download$3 with font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:34
-	6	((((select$3 or choos$3 or pick$3 or specify$3 or determin$3 or provid$3) adj5 language with (web adj page or webpage) and (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:35
-	1	client adj side with language with (web adj page or webpage) with (convert$3 or translat$3) near20 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:47
-	217	language with (web adj page or webpage) with (convert$3 or translat$3) near20 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 16:04
-	113	(language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 16:05
-	6	((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and (709/203).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:51
-	42	(select$3 or choos$3 or pick$3 or specify$3 or determin$3 or provid$3) adj5 language with (web adj page or webpage) and (conver$4 or translat$3) near20 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:51
-	1	((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and download$3 with script	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:52
-	8	(("20010051998") or ("20020138649") or ("20020077712") or ("6718519") or ("20020193983") or ("20020002452") or ("20020062396") or ("6519557")).PN.	USPAT; US-PGPUB	2004/05/27 15:07
-	221	language with (web adj page or webpage) with (convert$3 or translat$3) near20 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 16:04
-	113	(language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 16:06

-	7	((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and script and supplement$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 16:28
-	3	((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and script with supplement$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 16:28
-	24	((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and script	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:53
-	0	(((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and script) and (client or user) with operating adj system near5 language with default	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:53
-	0	(((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and script) and operating adj system near5 language with default	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:52
-	0	(((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")) and script) and operating adj system near5 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:53
-	113	((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 16:11
-	0	(((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and (client or user) with operating adj system near5 language with default	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:53
-	0	(((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and operating adj system near5 language with default	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:54
-	0	(((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and operating adj system near5 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:54
-	4	(((language with (web adj page or webpage) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and default near5 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 16:12
-	2302	((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:21
-	83	(((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and default near5 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 16:13

-	22	((((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and default near5 language) and (conver$4 or translat$3) near10 string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 16:20
-	8	(((((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and default near5 language) and (conver$4 or translat$3) near10 string) and (conver$4 or translat$3) near10 string and client and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 16:29
-	0	((((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and default near5 language) and ASP adj engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 16:20
-	0	(((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and ASP adj engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 16:21
-	0	(((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and ASP adj5 engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 16:21
-	52	(((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and ASP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 16:21
-	9	((((language with (web adj page or webpage or client or user) with (convert$3 or translat$3) near20 language) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101"))) and ASP) and (conver$4 or translat$3) near10 string and client and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 16:21